

This product complies with standard:EN 13209-1:2022 AND ASTM F2549-22
Manufacturer: WIPHA importers Type: YAK-III
Manufacturer's Address: 333 canal St,New Orleans,LA70130,United State.
18 Rue des Bas Rogers, 92800, Puteaux,France.
Location of Production: Nanjing City,Jiangsu Province,China P.C.: 210000.
Phone: 0086 25 84643040
www.wipha.com.



**IMPORTANT!
READ CAREFULLY AND KEEP
FOR FUTURE REFERENCE.**

**Wichtig! Sorgfältig lesen und
für zukünftige Hinweise
aufbewahren.**

WIPHA CHILD CARRIER



Congratulations on your purchase of an WIPHA Child Carrier. Follow the information contained in this owner's manual to safely use and operate your WIPHA Child Carrier.

PACK CARE

STANDARD MAINTENANCE

- » After each trip, be sure to clean out your pack thoroughly
- » Clean zippers often to prevent them from failing. Use mild soap, warm water and a soft brush.
- » If your pack is wet, hang it to dry before storing.
- » When your carrier is not in use, loosen all the straps .
- » Wash your pack if dirt, sweat, salt and stains have worked their way into fabrics, webbing or mesh.

WASHING YOUR PACK

- » Brush out and remove gear, food, dirt or spilled items
- » Do not wash in washing machine. Clean your pack and components in a bathtub or large sink using a mild detergent and warm water .
- » Agitate the pack gently and scrub all compartments and pockets inside and out with a soft brush .
- » Brush clean all zippers and rinse the interior channels and the exterior of all buckles.
- » Drain the soapy and dirty water from the bathtub or sink and refill with cool clean water. Rinse the pack thoroughly.
- » Hang to dry outdoors or in a well-ventilated area out of direct sunlight.

Regularly inspect your child carrier for damage and signs of wear. For repairs or questions, please contact your local dealer or visit our website for customer service information: www.wipha.com

This product complies with standard: EN 13209-1:2022 AND ASTM F2549-22

Manufacturer: WIPHA importers Type: YAK-III


Manufacturer's Address: 333 canal St, New Orleans, LA 70130, United State.

18 Rue des Bas Rogers, 92800, Puteaux, France.

Location of Production: Nanjing City, Jiangsu Province, China P.C.: 210000.

Phone: 0086 25 84643040 Production date: May 2023

www.wipha.com.





IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.

PLEASE READ ALL INSTRUCTIONS BEFORE USING YOUR FRAME CHILD CARRIER.
TESTED IN ACCORDANCE WITH EN 13209-1:2022 AND ASTM F2549-22

WARNING

FALL HAZARD

Your child can slip through leg opening or fall out of product and suffer a serious head injury.

- Always use child retention system and adjust to fit snugly.
- Do not use carrier with a child weighing less than 16lb(7.3kg) or more than 40lb(18kg).
- Do not load more than maximum overall weight:42lb(19kg) (Child+Cargo).
- Do not use carrier if child cannot sit upright unassisted.
- Do not place carrier on counter tops, or other elevated surfaces.
- Read all instructions before assembling and using the frame child carrier.
- Keep instructions for future use.

WARNING

FALL HAZARD

- Check to assure all buckles, snaps, straps, and adjustments are secure before each use.
- Never leave the child unattended in the carrier.
- Periodically check that the child's legs have adequate circulation.
- Be aware of fatigue during prolonged use. Take frequent breaks as needed.
- Never bend at waist; bend at knees.
- Items attached to the carrier may change the balance of the product and cause a hazardous, unstable condition.
- This carrier is designed only for use while walking. It should not be used for any sporting activities such as climbing, cycling, skiing, or similar activities.
- Never use a frame carrier when balance or mobility is impaired because of exercise, drowsiness, or medical conditions.
- Do not use this product near fire or open flame.
- Care should be taken to avoid hazards in the environment when in use, as the child may sit higher than the height of the caregiver. For example, door frames, low branches of trees, etc.
- Extreme hot or cold temperatures, including long exposure to the sun can cause exposed metal items to burn a child. Make sure there are no exposed metal items near the child when using the carrier.
- The statement that additional or replacement parts should only be obtained from the manufacturer, importer or organization responsible for its sale.
- The movements of you and your child may affect your balance when using this product, be careful when you bend over, lean forward, or lean sideways.

FEATURES



1 DROOL PAD

The drool pad at the front of the cockpit is soft to the touch and comfortably padded for the child.

2 DELUXE CHILD COCKPIT

Fully framed and padded cockpit surrounds the adjustable Double harness and child seat for safety. Soft contact surfaces, anatomical fit and ventilated side panels provide comfort.

3 TOP GRAB HANDLES

Safely pick up or set down child carrier with reinforced grab handles.

4 BACK POCKET

The insulation bag in the back bag can store food such as milk and snacks.

5 LOWER ZIPPERED COMPARTMENT

The lower zippered compartment offers 14L of storage for diapers and other items.

6 HIPBELT

Open the pockets on both sides of the hip belt and get snacks or snacks quickly and easily without taking off the children's backpack.

7EXTERNAL HYDRATION SLEEVE

An opening at the top of the backpanel allows for convenient hydration reservoir storage.

8 SUSPENSION

A continuous panel of lightweight framesheet with mesh-covered, die-cut ridged foam provides outstanding fit, excellent ventilation and unrestricted movement when wearing the pack.


9 ADJUSTABLE FIT

With 4" /10cm of torso length adjustment, the Child Carrier is quickly and easily fitted to a variety of adult users even while on the trail.

1.CHILD CARRIER SET-UP




1.1 Your carrier arrived in the stored, flat position.




1.2 Grab the two grab handles at the top of the child cockpit and pull the cockpit open to expand the unit from its stored position. Before placing child in carrier, always deploy the kickstand until it is fully opened and audio feedback confirms it is locked in place.

2. FIT THE ADULT


TO ADJUST THE TORSO LENGTH, FOLLOW THESE STEPS:




2.1 Loosen the pack's load lifters and harness straps. Open the zipper down.




2.2 Uncover the fastener and slide the shoulder harness up or down to the correct torso length.



2.3 After the position is adjusted, press the fastener in place to ensure that the fastener is firmly locked on the ribbon.



2.4 Close the zipper, Your child carrier is now fitted to the adult.



2.5 Put on the backpack and place the hip strap in the center of the hip bone. Fasten your belt and fasten it. Make sure the hip belt is fully wrapped around your hip to ensure that the carrier's main weight is supported by your buttocks.



2.6 After fitting the hipbelt, tighten the shoulder harness by pulling the straps down and back.




2.7 Tighten the webbing above the shoulder straps to make the back frame closer to body. Proper fit-With the hipbelt positioned directly over your hip bones, the top of the shoulder pad should sit just below the base of your neck.



2.8 Buckle and tighten the sternum strap. You are now ready to use your Child Carrier.


3. FIT AND SECURE THE CHILD

USAGE OF CHILD SEAT GUARDRAIL




3.1 Open the child's strap by loosening the fastener in front of the child's seat cushion.


- (1) Insert the inserting plate into the wing pocket slot;
- (2) Insert the buckle;
- (3) Tighten the buckle;



3.2 Open the guardrail on one side of the children's seat compartment to help children enter from the side, or from the top of the seat compartment.



3.3 For proper fit, the child's chin should be level to the top of the drool pad at the front of the cockpit. Place the child in the carrier to check if adjustment is needed.



3.4 Adjust the seat to ensure that the child's legs can be placed comfortably.